

## SAFETY DATA SHEET

XP 2035 PART B

Page 1 Issued: 20/08/2004 Revision No: 1

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: XP 2035 PART B

Company name: Chemique Adhesives & Sealants Ltd Unit 21

01111 21

Empire Close Aldridge

West Midlands

WS9 8UR

United Kingdom

Tel: +44 (0) 1922 459 321

Fax: +44 (0) 1922 452 833

Emergency tel: +44 (0) 1922 459 321

## 2. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: DIPHENYLMETHANE-4,4'-DI-ISOCYANATE 35.000% EINECS: 202-966-0 CAS: 101-68-8 [Xn] R20; [Xi] R36/37/38; [Sens.] R42/43

#### 3. HAZARDS IDENTIFICATION

Main hazards: Harmful by inhalation. Irritating to eyes, respiratory system and skin. May cause sensitisation by

inhalation and skin contact.

## 4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: There may be irritation and redness at the site of contact.
Eye contact: There may be irritation and redness. The eyes may water profusely.
Ingestion: There may be soreness and redness of the mouth and throat.
Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

## 4. FIRST AID MEASURES (ACTION)

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

**Ingestion:** Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

#### 5. FIRE-FIGHTING MEASURES

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

Exposure hazards: In combustion emits toxic fumes.

# **SAFETY DATA SHEET** XP 2035 PART B

Page 2

Protection of fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin		
	and eyes.		
6. ACCIDENTAL RELEASE MEASURES			
Personal precautions:	Refer to section 8 of SDS for personal protection details. If outside do not approach from		
	downwind. If outside keep bystanders upwind and away from danger point. Mark out the		
	contaminated area with signs and prevent access to unauthorised personnel. Turn leaking		
	containers leak-side up to prevent the escape of liquid.		
<b>Environmental precautions:</b>	Do not discharge into drains or rivers. Contain the spillage using bunding.		
<b>Clean-up procedures:</b>	Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by		
	an appropriate method.		
7. HANDLING AND STORAGE			
Handling requirements:	Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do		
	not handle in a confined space. Avoid the formation or spread of mists in the air.		
Storage conditions:	Store in cool, well ventilated area. Keep container tightly closed.		
Suitable packaging:	Must only be kept in original packaging.		
8. EXPOSURE CONTROLS / PERSONAL PROTECTION			
Hazardous ingredients:	DIPHENYLMETHANE-4,4'-DI-ISOCYANATE		
	TWA (8 hr exposure limit): 0.02 mg/m3 STEL (15 min exposure limit): 0.07 mg/m3 (OES)		
Engineering measures:	Ensure there is sufficient ventilation of the area. Localised exhaust ventilation may be required		
	in poorly ventilated areas.		
<b>Respiratory protection:</b>	Self-contained breathing apparatus must be available in case of emergency.		
Hand protection:	Protective gloves. Nitrile gloves.		
Eye protection:	Safety glasses. Ensure eye bath is to hand.		
Skin protection:	Protective clothing.		
9. PHYSICAL AND CHEMICAL PROPERTIES			
State:	Liquid		
Colour:	Yellow-brown		
Odour:	Barely perceptible odour		
Oxidising:	Non-oxidising (by EC criteria)		
Solubility in water:	Reacts with water.		
Viscosity:	Viscous		
Viscosity value:	200CPS		
Flash point°C:	>200		
Relative density:	1.23 @ 20'C		

Issued: 20/08/2004

## SAFETY DATA SHEET

XP 2035 PART B

**10. STABILITY AND REACTIVITY** 

Stability:Stable under normal conditions.Conditions to avoid:Heat. Moist air.Materials to avoid:Strong oxidising agents. Strong acids.Haz. decomp. products:In combustion emits toxic fumes.

#### 11. TOXICOLOGICAL INFORMATION

Hazardous ingredients:	DIPHENYLMETHANE-4,4'-DI-ISOCYANATE
	ORL MUS LD50 2200 mg/kg
	ORL RAT LD50 9200 mg/kg
Chronic toxicity:	May cause sensitisation by skin contact.
Routes of exposure:	Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

## **12. ECOLOGICAL INFORMATION**

Mobility:	Readily absorbed into soil.
Persistence and degradability:	Biodegradable.
Bioaccumulative potential:	Slightly bioaccumulable.
Other adverse effects:	Harmful to aquatic organisms.

## 13. DISPOSAL CONSIDERATIONS

**Disposal of packaging:** Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

NB: The user's attention is drawn to the possible existence of regional or national regulations

regarding disposal.

#### 14. TRANSPORT INFORMATION

#### ADR / RID

UN no: -

Shipping name: "NOT SUBJECT TO ADR"

## IMDG / IMO

UN no: -

IATA / ICAO

UN no: -

#### **15. REGULATORY INFORMATION**

Hazard symbols: Harmful.



Risk phrases: R20: Harmful by inhalation.

Page 3

# SAFETY DATA SHEET

XP 2035 PART B

R36/37/38: Irritating to eyes, respiratory system and skin. R42/43: May cause sensitisation by inhalation and skin contact. Safety phrases: S23: Do not breathe fumes. S24: Avoid contact with skin. S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S37: Wear suitable gloves. S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). S63: In case of accident by inhalation, remove casualty to fresh air and keep at rest. **Precautionary phrases:** Contains isocyanates. See information supplied by the manufacturer. Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

#### **16. OTHER INFORMATION**

Risk phrases used in s.2:	R20: Harmful by inhalation.
	R36/37/38: Irritating to eyes, respiratory system and skin.
	R42/43: May cause sensitisation by inhalation and skin contact.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive and shall
	be used only as a guide. This company shall not be held liable for any damage resulting from
	handling or from contact with the above product.

Page 4